

Fixed Systems Specialty Products

RI-600 Indoor Stand Alone Carbon Dioxide Monitor - 24 VDC

<u>Part#</u>	<u>Description</u>	<u>Suggested Retail</u>
73-1205-02K	RI-600 carbon dioxide monitor, 0-2000 ppm, 24 VDC operation	1,200.00
73-1205-05K	RI-600 carbon dioxide monitor, 0-5000 ppm, 24 VDC operation	1,200.00
73-1205-10K	RI-600 carbon dioxide monitor, 0-10,000 ppm, 24 VDC operation	1,200.00
73-1205-20K	RI-600 carbon dioxide monitor, 0-2.00%, 24 VDC operation	920.00
73-1205-50K	RI-600 carbon dioxide monitor, 0-5.00%, 24 VDC operation	920.00



RI-600 Indoor Stand Alone Carbon Dioxide Monitor - 115 VAC

<u>Part#</u>	<u>Description</u>	<u>Suggested Retail</u>
73-1206-02K	RI-600 carbon dioxide monitor, 0-2000 ppm, 115 VAC operation	1,200.00
73-1206-05K	RI-600 carbon dioxide monitor, 0-5000 ppm, 115 VAC operation	1,200.00
73-1206-10K	RI-600 carbon dioxide monitor, 0-10,000 ppm, 115 VAC operation	1,200.00
73-1206-20K	RI-600 carbon dioxide monitor, 0-2.00%, 115 VAC operation	920.00
73-1206-50K	RI-600 carbon dioxide monitor, 0-5.00%, 115 VAC operation	920.00

Calibration Kits

<u>Instrument #</u>	<u>Cal-Kit Part #</u>	<u>Cal-Kit Description</u>	<u>Price</u>
73-1205-05K 73-1205-10K 73-1206-05K 73-2106-10K	81-RI60005K-LV	Cal kit, RI-600, CO2 2.5% in N2, 34L cyl, N2 100%, 34L cyl, cal cup, regulator, case & tubing	370.00
73-1205-20K 73-1205-50K 73-1206-20K 73-1206-50K	81-RI60050K-LV	Cal kit, RI-600, CO2 2.5% in N2, 34L cyl, N2 100%, 34L cyl, cal cup, regulator, case & tubing	370.00

Fixed Systems Accessories

Lights, Strobes, and Horns - Non Hazardous Locations

Lights, Strobes, or Horns Only

Part#	Description	Suggested Retail
51-0053RK	Rotating alarm light, green, 115 VAC, Federal Signal 225-120V-G	295.00
51-0054RK	Rotating alarm light, amber, 115 VAC, Federal Signal 225-120V-A	360.00
51-0055RK	Rotating alarm light, red, 115 VAC, Federal Signal 225-120V-R	360.00
51-0056RK	Rotating alarm light, blue, 115 VAC, Federal Signal 225-120-B	295.00
51-0098-01-AMB	Strobe, red housing, with amber lens cover, 96 to 132 VAC, NEMA 3R, SpectraAlert	220.00
51-0098-01-RED	Strobe, red housing, with red lens cover, 96 to 132 VAC, NEMA 3R, SpectraAlert	220.00
51-0098-AMB	Strobe, red housing, with amber lens cover, 8 to 33 VDC, NEMA 4X, SpectraAlert	140.00
51-0098-RED	Strobe, red housing, with red lens cover, 8 to 33 VDC, NEMA 4X, SpectraAlert	140.00
51-0100	Strobe, white housing, with clear lens, 8 to 33 VDC, high candela, NEMA 4X, SpectraAlert	135.00
51-0100-01	Strobe, white housing, with clear lens, 96-132 VAC, high candela, NEMA 3R, SpectraAlert	200.00
51-0100-AMB	Strobe, white housing, with amber lens cover, 8 to 33 VDC, NEMA 4X, SpectraAlert	150.00
52-0003RK	Horn, 115 VAC, vibratory, NEMA 4X, Edward's 876-N5	250.00
52-0004RK	Horn, 24 VDC, vibrating, Federal 450-24 VDC	280.00



51-0053RK / 51-0054RK / 51-0055RK




51-0098RK-01-AMB



51-0098RK-01-RED



51-0100-AMB



52-0003RK / 52-0004RK

Lights/Strobes with Horns - 2 Wire (strobe and horn wired together)

Part#	Description	Suggested Retail
51-0090RK	Flashing alarm light with horn, red, 115 VAC, 40 watt lamp, Edwards 51R-N5-40W	450.00
51-0090RK-24	Flashing alarm light with horn, red, 24 VDC, 40 watt lamp, Edwards 51R-G1	450.00
51-0091RK	Flashing alarm light with horn, blue, 115 VAC, 40 watt lamp, Edwards 51B-N5-40W	450.00
51-0091RK-24	Flashing alarm light with horn, blue, 24 VDC, 24 watt lamp, Edwards 51B-G1	450.00
51-0092RK	Flashing alarm light with horn, amber, 115 VAC, 40 watt lamp, Edwards 51A-N5-40W	450.00
51-0092RK-24	Flashing alarm light with horn, amber, 24 VDC, 24 watt lamp, Edwards 51A-G1	450.00
51-0096RK-AMB	Strobe with horn, red housing, 8 to 33 VDC, NEMA 4X, SpectraAlert, with amber lens cover	150.00
51-0096RK-BLU	Strobe with horn, red housing, 8 to 33 VDC, NEMA 4X, SpectraAlert, with blue lens cover	150.00
51-0096RK-RED	Strobe with horn, red housing, 8 to 33 VDC, NEMA 4X, SpectraAlert, with red lens cover	150.00
51-0097RK-01	Strobe with horn, white upper housing, high brightness, 8 to 33 VDC, SpectraAlert, clear lens	150.00
51-0097RK-AMB	Strobe with horn, white housing, 96-132VAC, NEMA 3R, SpectraAlert, with amber lens cover	240.00
51-0097RK-BLU	Strobe with horn, white housing, 96-132VAC, NEMA 3R, SpectraAlert, with blue lens cover	240.00
51-0097RK-RED	Strobe with horn, white housing, 96-132VAC, NEMA 3R, SpectraAlert, with red lens cover	240.00
51-0099RK	Strobe light with horn, white housing, no markings, 8 to 33 VDC, NEMA 4X, SpectraAlert	150.00



51-0090RK / 51-0091RK / 51-0092RK



51-0096RK-RED



51-0090RK / 51-0091RK / 51-0092RK

Fixed Systems Accessories

Lights/Strobes with Horns - 4 Wire (strobe and horn wired separately)

<u>Part#</u>	<u>Description</u>	<u>Suggested Retail</u>
51-0102-AMB	Horn with strobe, standard brightness, white housing, NEMA 3R, 4-wire, 16 to 33 VDC, amber lens, SpectraAlert	205.00
51-0102-RED	Horn with strobe, standard brightness, white housing, NEMA 3R, 4-wire, 16 to 33 VDC, red lens, SpectraAlert	205.00
51-0131-AMB	Horn with strobe, outdoor, panel mounting, 120 VAC, 4 wire, amber lens, Edwards 868STRA-N5.....	550.00
51-0131-AMB-24	Horn with strobe, outdoor, panel mounting, 24 VDC, 24 watt lamp, 4 wire, amber lens, Edwards 868STRA-N5	550.00
51-0131-BLU	Horn with strobe, outdoor, panel mounting, 120 VAC, 4 wire, blue lens, Edwards 868STRB-N5	550.00
51-0131-BLU-24	Horn with strobe, outdoor, panel mounting, 24 VDC, 24 watt lamp, 4 wire, blue lens, Edwards 868STRA-N5	550.00
51-0131-RED	Horn with strobe, outdoor, panel mounting, 120 VAC, 4 wire, red lens, Edwards 868STRR-N5	550.00
51-0131-RED-24	Horn with strobe, outdoor, panel mounting, 24 VDC, 24 watt lamp, 4 wire, red lens, Edwards 868STRA-N5	550.00



51-0131-AMB / 51-0131-BLU



51-0102-AMB / 51-0102-RED

Lights/Strobes and Horns - Hazardous Locations (Class I, Div 2)

<u>Part#</u>	<u>Description</u>	<u>Suggested Retail</u>
51-0030RK-01	Strobe light, red, 115 VAC, Edwards 105FINHR-N5, for hazardous locations, Class I Div 2, with pipe mounting base	440.00
51-0031RK-01	Strobe light, red, 12 - 48 VDC, Edwards 105HISTR-EK, for Class I Div 2, with pipe mounting base	665.00
51-0035RK-01	Strobe light, amber, 115 VAC, Edwards 105FINHA-N5, for Class I Div 2, with pipe mounting base	465.00
52-0005RK	Horn, 115 VAC, Federal Signal 350-WBX, for hazardous locations, Class I Div 2	655.00



52-0005RK
Horn (Class I, Div 2)



51-0035RK-01
Strobe light, amber (Class I, Div 2)



51-0030RK-01
Strobe light, red (Class I, Div 2)

Fixed Systems Accessories

Fixed Systems Replacement Parts and Accessories

Part#	Description	Suggested Retail
06-1248RK	Tubing, polyurethane, 3/16 OD x 5/16 ID, per foot	2.00
06-1251RK	Tubing, polyurethane, 1/4" ID x 3/8" OD, per foot	2.00
18-0400RK-01	Junction box, with spacers (Aluminum)	100.00
18-0400RK-02	Junction box, with spacers (Aluminum) and terminal strip	100.00
30-0951RK-O2/CO	Sample drawing adapter, air aspirated for Oxygen or Carbon Monoxide (sensor sold separately)	420.00
30-0951RK-OC-01	Flow through adapter, O2/CO, chamber and fittings only	180.00
30-0951RK-OC-02	Flow through adapter, O2/CO, chamber, flow meter and fittings only	325.00
47-1015RK-01	Power cord, SJT, 115 VAC, 8 feet, with bushings, added to fixed systems	38.00
49-4000RK	AC Power supply assembly for M2/M2A, input 100 VAC to 240 VAC, output 24 VDC, mounted in 18-0400RK	195.00
49-4000RK-SS	AC Power supply assembly for M2/M2A stainless steel housing, input 100 VAC to 240 VAC, output 24 VDC, mounted in 18-0400RK	295.00
49-8103RK	Standby battery assembly, 24 VDC, 1.2 AMP hours, for Beacon 110 and Beacon 200	250.00
49-8104RK	Standby battery assembly, 24 VDC, 12 AMP hours, for Beacon 110, Beacon 200, Beacon 410, & Beacon 800	450.00
57-1053RK	Transmitter, S2, LEL, 4-20 mA, standard version, 4 wire (low current) detector	240.00
57-1064RK-01	Transmitter, S2, Oxygen, 0-25%, 4-20 mA, with gasket.....	225.00
81-1103RK	Calibration cup, for IR 3/4" NPT sensor	15.00
81-1103RK-01	Calibration cup / splash guard, for IR 3/4" NPT sensor, with diffuser holes	40.00
81-1116RK	Cal cup/splash guard assembly, for CT7 sensor housing	60.00
82-0101RK	Magnetic wand, for M2 Transmitter, south pole	15.00
82-5100RK	Datalogger, 4-channel, 4-20 mA with software & USB cable	1,800.00
82-5102RK	Datalogger, 1 channel, 4-20 mA input, USB interface, with software & leads, Lascar EL-USB-4	250.00