

Premier Portable Instruments

GX-3R Pro Five Gas Personal Monitor

Base Instrument

72 - P

4 Gas Sensors

A

Toxic Sensor

C

Battery

C

Step 1

Step 2

Step 3

4 Gas Sensors

\$795

Toxic Sensor

\$250

Battery

\$100

\$1,145

Total List Price



Above Example:

72-PAC-C

GX-3R Pro for LEL / O2 / combo H2S & CO / SO2

with Li-Ion battery pack including 100-240 VAC charger \$1,145.00

Step 1

Standard 4 gas sensors

X	No 4 gas sensors	695.00
A	LEL / O2 / combo H2S / CO (A)	795.00
B	LEL / O2 / H2S / CO (individual CO and H2S sensors) *	845.00
C	LEL / O2 / H2S / CO (H2 compensated CO sensor) *	1,045.00
D	LEL / O2 / H2S	795.00
E	LEL / O2 / CO	795.00
F	LEL / O2 / CO (H2 compensated CO sensor)	995.00
G	LEL / combo H2S / CO	770.00
H	O2 / combo H2S / CO	770.00
I	LEL / O2	745.00
J	LEL / H2S	770.00
K	LEL / CO	770.00
L	LEL / CO (H2 compensated CO sensor)	970.00
M	O2 / CO (H2 compensated CO sensor)	970.00
N	combo H2S / CO	745.00
O	LEL	720.00
P	O2	720.00
Q	H2S	745.00
R	CO	745.00
S	CO (H2 compensated CO sensor)	945.00
T	O2 / H2S	745.00
U	O2 / CO	745.00

Step 2

Toxic Sensors

(Note: if B or C is selected in Step 1, Step 2 is X)

X	No additional toxic sensor	0.00
A	CO2, 10,000 ppm, IR (ETA Aug 2019)	400.00
B	CO2, 10% volume, IR	400.00
C	SO2, 100 ppm	250.00

Step 3

Battery options

A	Alkaline battery pack only	0.00
B	Alkaline and Li-Ion battery pack with 100-240 VAC Charger	200.00
C	Li-Ion battery pack with 100-240 VAC Charger	100.00
D	Li-Ion battery pack with 12 VDC charger and vehicle plug	100.00
E	Li-Ion battery pack only (No charger)	75.00
F	Li-Ion battery pack with 100-240 VAC and 12 VDC chargers	150.00

* This configuration utilizes all 4 sensor slots. A toxic sensor in step 2 cannot be selected.

Note: For configurations with either CO or H2S (not both), individual sensors are used versus a combo CO/H2S sensor.

Instrument Price Includes

13-0112RK	Wrist strap
20-0335	Rubber boot for GX-3R Pro
71-0478	Manual for GX-3R Pro
81-1193	Calibration adapter for GX-3R Pro

Premier Portable Instruments

GX-3R Pro Common Configurations

Part#	Description	Suggested Retail
72-PAA-C	GX-3R Pro, 5 gas, LEL / O ₂ / combo H ₂ S & CO / ppm CO ₂ with 100-240 VAC charger.....	1,295.00
72-PAB-C	GX-3R Pro, 5 gas, LEL / O ₂ / combo H ₂ S & CO / % CO ₂ with 100-240 VAC charger	1,295.00
72-PAC-C	GX-3R Pro, 5 gas, LEL / O ₂ / combo H ₂ S & CO / SO ₂ 100 ppm with Li-Ion battery pack including 100-240 VAC charger	1,145.00
72-PAX-C	GX-3R Pro, 4 gas, LEL / O ₂ / combo H ₂ S & CO with Li-Ion battery & 100-240 VAC charger	895.00
72-PCX-C	GX-3R Pro, 4 gas, LEL / O ₂ / H ₂ S / CO (H ₂ compensated) with 100-240 VAC charger	1,145.00

GX-3R Pro Instrument Bundles (Instrument & Charger Included)

100-240 VAC Versions

Part#	Description	Suggested Retail
72-PAC-C-50	GX-3R Pro, 5 gas, LEL / O ₂ / combo H ₂ S & CO / SO ₂ 100 ppm with Li-Ion battery pack & 100-240 VAC charger, screwdriver and carrying case	1,195.00
72-PAC-C-56	GX-3R Pro, 5 gas, LEL / O ₂ / combo H ₂ S & CO / SO ₂ 100 ppm bundled with 34AL cylinder SO ₂ /H ₂ S/CO/O ₂ /LEL, 0.25 LPM regulator, Li-Ion battery pack & 100-240 VAC charger, tubing, screwdriver, and carrying case	1,700.00
72-PAC-C-58	GX-3R Pro, 5 gas, LEL / O ₂ / combo H ₂ S & CO / SO ₂ 100 ppm bundled with RP-3R, 10' hose & probe, Li-Ion battery pack & 100-240 VAC charger	1,630.00
72-PAX-C-50	GX-3R Pro, 4 gas, LEL / O ₂ / combo H ₂ S & CO with Li-Ion battery & 100-240 VAC charger, screwdriver and carrying case	945.00
72-PAX-C-56	GX-3R Pro, 4 gas, LEL / O ₂ / combo H ₂ S & CO bundled with 34AL cylinder CH ₄ /O ₂ /H ₂ S/CO, 0.25 LPM regulator, Li-Ion battery & 100-240 VAC charger, tubing, screwdriver, and carrying case	1,355.00
72-PAX-C-58	GX-3R Pro, 4 gas, LEL / O ₂ / combo H ₂ S & CO bundled with with RP-3R, 10' hose & probe, Li-Ion battery & 100-240 VAC charger	1,380.00

GX-3R Pro Calibration Kits

Instrument #	Cal-Kit Part #	Cal-Kit Description	Price
72-PAA-C	81-PAA	Cal kit, GX-3R Pro, 58AL cyl H ₂ S 25 ppm / CO 50 ppm / CH ₄ 50% LEL / O ₂ 12% in N ₂ , 103L cyl 5,000 ppm CO ₂ in N ₂ , regulator 0.25 LPM, case & tubing	580.00
	81-PAA-LV	Cal kit, GX-3R Pro, 34AL cyl H ₂ S 25 ppm / CO 50 ppm / CH ₄ 50% LEL / O ₂ 12% in N ₂ , 34L cyl 5,000 ppm CO ₂ in N ₂ , two regulators 0.25 LPM, case & tubing	495.00
72-PAB-C	81-PAB-LV	Cal kit, GX-3R Pro, 34AL cyl H ₂ S 25 ppm / CO 50 ppm / CH ₄ 50% LEL / O ₂ 12% in N ₂ , 34L cyl 2.5% vol CO ₂ in N ₂ , two regulators 0.25 LPM, case & tubing	495.00
	81-PAB	Cal kit, GX-3R Pro, 58AL cyl H ₂ S 25 ppm / CO 50 ppm / CH ₄ 50% LEL / O ₂ 12% in N ₂ , 103L cyl 2.5% vol CO ₂ in N ₂ , regulator 0.25 LPM, case & tubing	580.00
72-PAC-C	81-PAC	Cal kit, GX-3R Pro, 58AL cyl SO ₂ 5 ppm / H ₂ S 25 ppm / CO 50 ppm / CH ₄ 50% LEL / O ₂ 12% in N ₂ , regulator 0.25 LPM, case & tubing	445.00
72-PAX-C	81-GX3RHSCO	Cal kit, GX-3R / GX-3R Pro, 58AL cyl H ₂ S 25 ppm / CO 50 ppm / CH ₄ 50% LEL / O ₂ 12% in N ₂ , regulator 0.25 LPM, case & tubing	425.00
72-PBX-C		Cal kit, GX-3R / GX-3R Pro, 34AL cyl H ₂ S 25 ppm / CO 50 ppm / CH ₄ 50% LEL / O ₂ 12% in N ₂ , regulator 0.25 LPM, case & tubing	365.00
72-PCX-C	81-GX3RHSCO-LV	Cal kit, GX-3R / GX-3R Pro, 34AL cyl H ₂ S 25 ppm / CO 50 ppm / CH ₄ 50% LEL / O ₂ 12% in N ₂ , regulator 0.25 LPM, case & tubing	365.00
72-PDX-C		Cal kit, GX-3R / GX-3R Pro, 116AL cyl H ₂ S 25 ppm / CO 50 ppm / CH ₄ 50% LEL / O ₂ 12% in N ₂ , regulator 0.25 LPM, case & tubing	525.00
72-PGX-C	81-GX3RHSCO-116	Cal kit, GX-3R / GX-3R Pro, 116AL cyl H ₂ S 25 ppm / CO 50 ppm / CH ₄ 50% LEL / O ₂ 12% in N ₂ , regulator 0.25 LPM, case & tubing	525.00
72-PHX-C		Cal kit, GX-3R / GX-3R Pro, 103L cyl CO 50 ppm / CH ₄ 50% LEL / O ₂ 12% in N ₂ , regulator 0.25 LPM, case & tubing	380.00
72-PJX-C	81-GX3RSCO	Cal kit, GX-3R / GX-3R Pro, 34L cyl CO 50 ppm / CH ₄ 50% LEL / O ₂ 12% in N ₂ , regulator 0.25 LPM, case & tubing	255.00
72-PEX-C		Cal kit, GX-3R Pro, 103L cyl 5,000 ppm CO ₂ in N ₂ , regulator 0.25 LPM, case & tubing	340.00
72-PFX-C	81-GX3RSCO-LV	Cal kit, GX-3R / GX-3R Pro, 34L cyl CO 50 ppm / CH ₄ 50% LEL / O ₂ 12% in N ₂ , regulator 0.25 LPM, case & tubing	255.00
72-PIX-C		Cal kit, GX-3R Pro, 103L cyl 5,000 ppm CO ₂ in N ₂ , regulator 0.25 LPM, case & tubing	340.00
72-PKX-C	81-PPA	Cal kit, GX-3R Pro, 103L cyl 5,000 ppm CO ₂ in N ₂ , regulator 0.25 LPM, case & tubing	340.00
72-PPA-C		Cal kit, GX-3R Pro, 34L cyl 5,000 ppm CO ₂ in N ₂ , regulator 0.25 LPM, case & tubing	255.00

Premier Portable Instruments

GX-3R Pro Replacement Sensors

Part#	Description	Suggested Retail
NCR-6309	Sensor, LEL for GX-3R/GX-3R Pro	150.00
IRR-0433	Sensor, CO2, 0-10,000 ppm for GX-3R Pro	400.00
IRR-0409	Sensor, CO2, 0-10% volume for GX-3R Pro	400.00
ESR-X13P-OXY	Sensor, O2 for GX-3R/GX-3R Pro	150.00
ESR-A1DP-COHS	Sensor, H2S/CO combination for GX-3R/GX-3R Pro	250.00
ESR-A1CP-CO-H	Sensor, CO with H2 compensated for GX-3R/GX-3R Pro	250.00
ESR-A13P-CO	Sensor, CO for GX-3R/GX-3R Pro	150.00
ESR-A13i-H2S	Sensor, H2S for GX-3R/GX-3R Pro	150.00
ESR-A13D-SO2	Sensor, SO2 for GX-3R Pro	250.00



GX-3R Pro Replacement Parts & Accessories

Part#	Description	Suggested Retail
13-0112RK	Wrist strap	4.00
13-0124	Alligator clip with installation screw for GX-3R/GX-3R Pro	26.00
13-0125	Belt clip with installation screws for GX-3R/GX-3R Pro	28.00
20-0335	Rubber boot for GX-3R Pro	18.00
20-0336	Heat resistant case for GX-3R Pro	88.00
20-0337	Leather case for GX-3R Pro	120.00
21-1950	LCD protection film for GX-3R/GX-3R Pro	6.00
21-1950-05	LCD protection film for GX-3R, pack of 5	26.00
29-0699	Sensor case label for GX-3R Pro, Toxic 2 / LEL / O2 / Toxic	1.00
29-0700	Sensor case label for GX-3R Pro, CO/H2S / LEL / O2 / Toxic	1.00
33-0182	Sensor dust filters for GX-3R Pro, single filter	10.00
33-0182-10	Sensor dust filters for GX-3R Pro, pack of 10	88.00
33-0554	Buzzer protection cover for GX-3R Pro	6.60
33-7130	Scrubber disk filter for H2S/CO sensor (5pcs/pack)	26.00
33-7131	Scrubber disk filter for combustible sensor, CF-6309 (5pcs/pack)	26.00
33-7132	Scrubber disk filter, charcoal, for CO & H2 comp CO sensor, CF-A1CP (5pcs/pack)	26.00
33-7133	Humidity filter disk for H2S sensor, CF-A13i (pack of 5)	38.00
33-7134	H2S scrubber disk for SO2 sensor, GX-3R Pro, pack of 5	35.00
33-7134-01	H2S scrubber disk for SO2 sensor, GX-3R Pro, one each	7.00
47-1019	Charging cord, 2 ft for GX-3R / GX-3R Pro	14.00
47-5084RK-01	Downloading cable, USB / IrDA adapter, Windows XP, Windows 7, & Windows 8 compatible (Not needed if computer has built-in IR port)	220.00
49-0133	AC adapter, 100 - 240 VAC, 5.99 VDC 2A, for GX-3R/GX-3R Pro	90.00
49-0134	Multi-unit AC adapter, 100 - 240 VAC (5.99 VDC out) for charging 5 instruments, GX-3R / GX-3R Pro	265.00
49-1110RK	Battery, alkaline, AAA	1.20
49-1625	Li-Ion battery pack, BUL-3R, for GX-3R Pro	250.00
49-1626	Battery pack, alkaline, BUD-3R, for GX-3R Pro	125.00
49-2021	DC adapter with vehicle plug & 4 ft cable, 12-24 VDC for GX-3R and GX-3R Pro	50.00
65-7004	Dummy sensor for GX-3R/GX-3R Pro	5.00
81-0071RK-01	Cylinder, CO2, 5000 ppm in N2, 34L	55.00
81-0071RK-03	Cylinder, CO2, 5000 ppm in N2, 103L	155.00
81-0072RK-01	Cylinder, CO2, 2.5% in N2, 34L	55.00
81-0072RK-03	Cylinder, CO2, 2.5% in N2, 103L	155.00
81-0090RK-01	Cylinder, CO 50 ppm / Methane 50% LEL / O2 12 % in N2, 34L	55.00
81-0090RK-03	Cylinder, CO 50 ppm / Methane 50% LEL / O2 12 % in N2, 103L	195.00
81-0142RK-02	Cylinder, SO2 5 PPM / H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 58AL	260.00
81-0142RK-04	Cylinder, SO2 5 PPM / H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 34AL	170.00
81-0154RK-02	Cylinder, H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 58AL	240.00
81-0154RK-04	Cylinder, H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 34AL	165.00
81-0154RK-06	Bump test cylinder, H2S 40 ppm / CO 100 ppm / Methane 50% LEL / O2 12% in N2, 11AL aerosol	55.00
81-0154RK-116	Cylinder, H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 116AL	340.00
81-1050RK-25	Regulator, with gauge & knob, 17/34L, 0.25 LPM	125.00
81-1051RK-25	Regulator, with gauge and knob, 34AL/58AL/103L, 0.25 LPM	125.00
81-1193	Calibration adapter for GX-3R Pro	6.00

Premier Portable Instruments

RP-3R Sample Drawing Pump For GX-3R Pro

All pumps include a 4" tapered red nozzle for sampling and attach onto the GX-3R Pro. Some versions also include a 10' hose (30' max), and a probe for remote sampling. All RP-3R pumps include built-in dust and hydrophobic filters, and one "AA" alkaline battery.

Part#	Description	Suggested Retail
81-1199	RP-3R Pro pump with tapered red nozzle for GX-3R Pro	360.00
81-1200	RP-3R Pro pump with 10 ft hose, 10 inch probe, and tapered red nozzle for GX-3R Pro	420.00
81-1200-20	RP-3R Pro pump with 20 ft hose, 10 inch probe, and tapered red nozzle for GX-3R Pro	425.00



RP-3R

SDM-3R Calibration Station

Part#	Description	Suggested Retail
Single Solenoid for one Cylinder Input		
81-SDM3R101	SDM-3R calibration station with 1 solenoid, AC adapter, flash drive, USB cable, and tubing	1,300.00
81-SDM3R102	SDM-3R calibration station with 1 solenoid, demand flow regulator, AC adapter, flash drive, USB cable, and tubing	1,580.00
81-SDM3R103	SDM-3R calibration station with 1 solenoid, demand flow regulator, 58AL cyl H2S/CO/CH4/O2, cylinder holder, AC adapter, flash drive, USB cable, and tubing	1,835.00
81-SDM3R104	SDM-3R calibration station with 1 solenoid, demand flow regulator, 34AL cyl H2S/CO/CH4/O2, cylinder holder, AC adapter, flash drive, USB cable, and tubing	1,760.00



SDM-3R

Two Solenoids for Two Cylinder Inputs

81-SDM3R201	SDM-3R calibration station with 2 solenoids, AC adapter, flash drive, USB cable, and tubing	1,450.00
81-SDM3R202	SDM-3R calibration station with 2 solenoids, demand flow regulators (2 each), AC adapter, flash drive, USB cable, and tubing	2,010.00
81-SDM3R203	SDM-3R calibration station with 2 solenoid, demand flow regulator, 58AL cyl H2S/CO/CH4/O2, cylinder holder, AC adapter, flash drive, USB cable, and tubing	1,985.00
81-SDM3R204	SDM-3R calibration station with 2 solenoid, demand flow regulator, 34AL cyl H2S/CO/CH4/O2, cylinder holder, AC adapter, flash drive, USB cable, and tubing	1,910.00

Three Solenoids for Three Cylinder Inputs

81-SDM3R301	SDM-3R calibration station with 3 solenoids, AC adapter, flash drive, USB cable, and tubing	1,600.00
81-SDM3R302	SDM-3R calibration station with 3 solenoids, demand flow regulators (3 each), AC adapter, flash drive, USB cable, and tubing	2,440.00
81-SDM3R303	SDM-3R calibration station with 3 solenoid, demand flow regulator, 58AL cyl H2S/CO/CH4/O2, cylinder holder, AC adapter, flash drive, USB cable, and tubing	2,135.00
81-SDM3R304	SDM-3R calibration station with 3 solenoid, demand flow regulator, 34AL cyl H2S/CO/CH4/O2, cylinder holder, AC adapter, flash drive, USB cable, and tubing	2,060.00