

Premier Portable Instruments

GX-3R Pro Five Gas Personal Monitor

Base Instrument	4 Gas Sensors	Toxic Sensor	Battery	
72 - P	A	C	C	
	Step 1	Step 2	Step 3	
	4 Gas Sensors	Toxic Sensor	Battery	
	\$795	\$240	\$125	\$1,160
				Total List Price



Above Example:

72-PAC-C GX-3R Pro for LEL / O2 / combo H2S & CO / SO2 with Li-Ion battery pack including 100-240 VAC charger \$1,160.00

Step 1

Sensor Slots 1-3 (Standard 4 gas sensors)

X	No 4 gas sensors	695.00
A	LEL / O2 / combo H2S / CO (Alkaline version)	795.00
B	LEL / O2 / H2S / CO (individual CO and H2S sensors) *	845.00
C	LEL / O2 / H2S / CO (H2 compensated CO sensor) *	1,035.00
D	LEL / O2 / H2S	795.00
E	LEL / O2 / CO	795.00
F	LEL / O2 / CO (H2 compensated CO sensor)	985.00
G	LEL / combo H2S / CO	770.00
H	O2 / combo H2S / CO	770.00
I	LEL / O2	745.00
J	LEL / H2S	770.00
K	LEL / CO	770.00
L	LEL / CO (H2 compensated CO sensor)	960.00
M	O2 / CO (H2 compensated CO sensor)	960.00
N	combo H2S / CO	745.00
O	LEL	720.00
P	O2	720.00
Q	H2S	745.00
R	CO	745.00
S	CO (H2 compensated CO sensor)	935.00
T	O2 / H2S	745.00
U	O2 / CO	745.00
V	LEL / O2 / HCN	965.00
W	O2 / SO2	915.00

Step 2

Sensor Slot 4 (Toxic Sensors)

(Note: if B or C is selected in Step 1, Step 2 is X)

X	No additional toxic sensor	0.00
A	CO2, 10,000 ppm, IR	400.00
B	CO2, 10% volume, IR	400.00
C	SO2, 100 ppm	240.00
D	NO2, 20 ppm	240.00
E	HCN, 30 ppm	240.00
F	PH3, 1.0 ppm	240.00
G	NH3, 400 ppm (2021 Q4)	240.00
H	Cl2, 10 ppm (2021 Q4)	240.00
I	H2S single sensor, slot 4	50.00

Step 3

Battery options

A	Alkaline battery pack only	0.00
B	Alkaline and Li-Ion battery pack with 100-240 VAC Charger**	250.00
C	Li-Ion battery pack with 100-240 VAC Charger	125.00
D	Li-Ion battery pack with 12 VDC charger and vehicle plug	100.00
E	Li-Ion battery pack only (No charger)	75.00
F	Li-Ion battery pack with 100-240 VAC and 12 VDC chargers	150.00

* This configuration utilizes all 4 sensor slots. A toxic sensor in step 2 cannot be selected.

** Phillips screwdriver is required to change alkaline and Li-ion battery packs.

Note: For configurations with either CO or H2S (not both), individual sensors are used versus a combo CO/H2S sensor.

Instrument Price Includes

13-0112RK	Wrist strap	4.00
20-0332	Rubber boot for GX-3R	18.00
81-1192	Calibration adapter for GX-3R	10.00

Premier Portable Instruments

GX-3R Pro Common Configurations

Part#	Description	Suggested Retail
72-PAA-C	GX-3R Pro, 5 gas, LEL / O ₂ / combo H ₂ S & CO / ppm CO ₂ with 100-240 VAC charger.....	1,320.00
72-PAB-C	GX-3R Pro, 5 gas, LEL / O ₂ / combo H ₂ S & CO / % CO ₂ with 100-240 VAC charger	1,320.00
72-PAC-C	GX-3R Pro, 5 gas, LEL / O ₂ / combo H ₂ S & CO / SO ₂ 100 ppm with Li-Ion battery pack including 100-240 VAC charger	1,160.00
72-PAX-C	GX-3R Pro, 4 gas, LEL / O ₂ / combo H ₂ S & CO with Li-Ion battery & 100-240 VAC charger	920.00
72-PCX-C	GX-3R Pro, 4 gas, LEL / O ₂ / H ₂ S / CO (H ₂ compensated) with 100-240 VAC charger	1,140.00

GX-3R Pro Instrument Bundles (Instrument & Charger Included)

100-240 VAC Versions

Part#	Description	Suggested Retail
72-PAC-C-50	GX-3R Pro, 5 gas, LEL / O₂ / combo H₂S & CO / SO₂ 100 ppm with Li-Ion battery pack 100-240 VAC charger, screwdriver and carrying case	1,220.00
72-PAC-C-56	GX-3R Pro, 5 gas, LEL / O ₂ / combo H ₂ S & CO / SO ₂ 100 ppm bundled with 34AL cylinder SO₂/H₂S/CO/O₂/LEL, 0.25 LPM regulator , Li-Ion battery pack & 100-240 VAC charger, tubing, screwdriver, and carrying case ...	1,625.00
72-PAC-C-58	GX-3R Pro, 5 gas, LEL / O ₂ / combo H ₂ S & CO / SO ₂ 100 ppm bundled with RP-3R, 10' hose & probe , Li-Ion battery pack & 100-240 VAC charger and carrying case	1,685.00
72-PAX-C-50	GX-3R Pro, 4 gas, LEL / O₂ / combo H₂S & CO with Li-Ion battery & 100-240 VAC charger, screwdriver and carrying case	980.00
72-PAX-C-56	GX-3R Pro, 4 gas, LEL / O ₂ / combo H ₂ S & CO bundled with 34AL cylinder CH₄/O₂/H₂S/CO, 0.25 LPM regulator , Li-Ion battery & 100-240 VAC charger, tubing, screwdriver, and carrying case ...	1,380.00
72-PAX-C-58	GX-3R Pro, 4 gas, LEL / O ₂ / combo H ₂ S & CO bundled with with RP-3R, 10' hose & probe , Li-Ion battery & 100-240 VAC charger and carrying case	1,445.00



GX-3R Pro Replacement Sensors

Part#	Description	Suggested Retail
NCR-6309	Sensor, LEL 0-100% for GX-3R/GX-3R Pro	150.00
ESR-X13P-OXY	Sensor, Oxygen (O ₂) 0-25% vol for GX-3R/GX-3R Pro	150.00
ESR-A1DP-COHS	Sensor, H ₂ S/CO combination, CO 0-2000 ppm, H ₂ S 0-200 ppm for GX-3R / GX-3R Pro / GasWatch 3 / 04 Series	240.00
ESR-A1CP-CO-H	Sensor, Carbon Monoxide (CO) 0-2000 ppm with H ₂ compensation for GX-3R/GX-3R Pro/GasWatch 3	240.00
ESR-A13P-CO	Sensor, Carbon Monoxide (CO) 0-2000 ppm for GX-3R/GX-3R Pro/ GasWatch 3	150.00
ESR-A13i-H ₂ S	Sensor, Hydrogen Sulfide (H ₂ S) 0-200 ppm for GX-3R/GX-3R Pro/ GasWatch 3	150.00
IRR-0433	Sensor, Carbon Dioxide (CO ₂), 0-10,000 ppm for GX-3R Pro	400.00
IRR-0409	Sensor, Carbon Dioxide (CO ₂), 0-10% volume for GX-3R Pro	400.00
ESR-A13D-HCN	Sensor, Hydrogen Cyanide (HCN) 0-30 ppm for GX-3R Pro / SC-04	240.00
ESR-A13D-NO ₂	Sensor, Nitrogen Dioxide (NO ₂) 0-20 ppm for GX-3R Pro / SC-04	240.00
ESR-A13D-PH ₃	Sensor, Phosphine (PH ₃) 0-20.00 ppm for GX-3R Pro / SC-04	240.00
ESR-A13D-SO ₂	Sensor, Sulfur Dioxide (SO ₂) 0-100 ppm for GX-3R Pro/SC-04	240.00



LEL
NCR-6309



O₂
ESR-X13P-OXY



CO/H₂S
ESR-A1DP-COHS



HCN
ESR-A13D-HCN



NO₂
ESR-A13D-NO₂



SO₂
ESR-A13D-SO₂



CO₂
IRR-0433



PH₃
ESR-A13D-PH₃

Premier Portable Instruments

GX-3R Pro Calibration Kits

Instrument #	Cal-Kit Part #	Cal-Kit Description	Price
72-PAA-C	81-PAA	Cal kit, GX-3R Pro, 58AL cyl H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 103L steel cyl 5,000 ppm CO2 in N2, regulator 0.25 LPM, case & tubing	580.00
	81-PAA-LV	Cal kit, GX-3R Pro, 34AL cyl H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 34L cyl 5,000 ppm CO2 in N2, two regulators 0.25 LPM, case & tubing	495.00
72-PAB-C	81-PAB-LV	Cal kit, GX-3R Pro, 34AL cyl H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 34L cyl 2.5% vol CO2 in N2, two regulators 0.25 LPM, case & tubing	475.00
	81-PAB	Cal kit, GX-3R Pro, 58AL cyl H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 103L steel cyl 2.5% vol CO2 in N2, regulator 0.25 LPM, case & tubing	580.00
72-PAC-C	81-PAC	Cal kit, GX-3R Pro, 58AL cyl SO2 5 ppm / H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, regulator 0.25 LPM, case & tubing	410.00
72-PAE-C	81-PAE-LV	Cal kit, GX-3R Pro, 34AL cyl H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 34AL cyl 10 ppm HCN in N2, regulator 0.25 LPM, case & tubing	585.00
72-PAX-C 72-PBX-C 72-PDX-C 72-PGX-C 72-PHX-C 72-PJX-C	81-GX3RHSCO	Cal kit, GX-3R, 58AL cyl H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, regulator 0.25 LPM, case & tubing	380.00
	81-GX3RHSCO-LV	Cal kit, GX-3R or GX-3R Pro, 34AL cyl H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, regulator 0.25 LPM, case & tubing	355.00
	81-GX3RHSCO-116	Cal kit, GX-3R or GX-3R Pro, 116AL cyl H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, regulator 0.25 LPM, case & tubing	490.00
72-PCX-C	81-PCX-LV	Cal kit, GX-3R Pro, 34AL cyl H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 103L cyl H2 2000 ppm in air, regulator 0.25 LPM, case & tubing	485.00
72-PEX-C 72-PFX-C 72-PIX-C 72-PKX-C	81-GX3RCO	Cal kit, GX-3R or GX-3R Pro, 103L steel cyl CO 50 ppm / CH4 50% LEL / O2 12% in N2, regulator 0.25 LPM, case & tubing	340.00
	81-GX3RCO-LV	Cal kit, GX-3R or GX-3R Pro, 34L cyl CO 50 ppm / CH4 50% LEL / O2 12% in N2, regulator 0.25 LPM, case & tubing	265.00
72-PPA-C	81-PPA	Cal kit, GX-3R Pro, 103L steel cyl 5,000 ppm CO2 in N2, regulator 0.25 LPM, case & tubing	340.00
	81-PPA-LV	Cal kit, GX-3R Pro, 34L cyl 5,000 ppm CO2 in N2, regulator 0.25 LPM, case & tubing	270.00

GX-3R Pro Replacement Parts & Accessories

Part#	Description	Suggested Retail
10-1086	Screw with flat & lock washers for GX-3R/GX-3R Pro belt clip, M2 x 4, SS, pan head, phillips	1.00
10-1087	Screw for GX-3R/GX-3R Pro sensor cap & battery pack, M2 x 10, SS, phillips, 1 each	1.00
13-0112RK	Wrist strap	4.00
13-0124	Alligator clip with installation screws for GX-3R/GX-3R Pro	26.00
13-0125	Belt clip with installation screws for GX-3R/GX-3R Pro	28.00
20-0116	Case with foam, generic for small portable instruments including 03/04 Series/GX-3R/GX-3R Pro/GX-2009	18.00
20-0335	Rubber boot for GX-3R Pro	18.00
21-1950	LCD protection film for GX-3R/GX-3R Pro	6.00
21-1950-05	LCD protection film for GX-3R/GX-3R Pro, pack of 5	29.00
29-0699	Sensor case label for GX-3R Pro, Toxic 2 / LEL / O2 / Toxic	1.00
29-0700	Sensor case label for GX-3R Pro, CO/H2S / LEL / O2 / Toxic	1.00
33-0184	Hydrophobic dust filter with integral gasket for sensors, GX-3R Pro	16.00
33-0184-10	Hydrophobic dust filter with integral gasket for sensors, GX-3R Pro, pack of 10	145.00
33-0554	Buzzer protection cover for GX-3R Pro	6.80
33-6015RK	CO2 scrubber, CF-283 for GX-3R Pro/GX-6000/RX-515/RI-85	56.00
33-7130	Scrubber disk filter for H2S/CO sensor (pack of 5) for GX-3R & GX-3R Pro	26.00
33-7131	Scrubber disk filter for combustible sensor, CF-6309 (5pcs/pack)	26.00
33-7132	Scrubber disk filter, charcoal, for CO & H2 comp CO sensor, CF-A1CP (pack of 5), (not used on CO/H2S combo sensor) for GX-3R & GX-3R Pro	26.00
33-7133	Humidity filter disk for H2S or PH3 sensor, CF-A13i (pack of 5) for GX-3R/GX-3R Pro/04 Series	35.00
33-7134	H2S scrubber disk for SO2 and NO2 sensors, GX-3R Pro, pack of 5	35.00


Premier Portable Instruments

GX-3R Pro Replacement Parts & Accessories (continued)

Part#	Description	Suggested Retail
33-7134-01	H2S scrubber disk for SO2 and NO2 sensors, GX-3R Pro, one each	7.00
33-7137	H2S filter disk for HCN sensor, CF-A13D-2, GX-3R Pro, 1 each	18.00
47-1019	Replacement charging cord, 2 ft each, for GX-3R / GX-3R Pro	14.00
47-5084RK-01	Downloading cable, USB / IrDA adapter, Windows XP, Windows 7, Windows 8, and Windows 10 compatible (Not needed if computer has built-in IR port)	220.00
47-5102	5-unit charging connector bar with 5 charging cables (47-1019) for GX-3R & GX-3R Pro, no AC adapter ...	175.00
49-0133	AC adapter, 100 - 240 VAC, 5.99 VDC 2A, for GX-3R/GX-3R Pro.....	90.00
49-0134	Multi-unit AC adapter, 100 - 240 VAC (5.99 VDC out) for charging 5 instruments, GX-3R / GX-3R Pro	265.00
49-1110RK	Battery, alkaline, AAA	1.20
49-1625	Li-Ion battery pack, BUL-3R, for GX-3R Pro	250.00
49-1626	Battery pack, alkaline, BUD-3R, for GX-3R Pro	125.00
49-2021	DC adapter with vehicle plug & 4 ft cable, 12-24 VDC for GX-3R and GX-3R Pro	50.00
65-7004	Dummy sensor for GX-3R/GX-3R Pro	5.00
71-0478	Manual for GX-3R Pro	0.00
81-0071RK-01	Cylinder, CO2 5000 ppm in N2, 34L steel	55.00
81-0071RK-03	Cylinder, CO2 5000 ppm in N2, 103L steel.....	150.00
81-0072RK-01	Cylinder, CO2 2.5% in N2, 34L steel	55.00
81-0072RK-03	Cylinder, CO2 2.5% in N2, 103L steel	150.00
81-0090RK-01	Cylinder, CO 50 ppm / CH4 50% LEL / O2 12 % in N2, 34L steel	55.00
81-0090RK-03	Cylinder, CO 50 ppm / CH4 50% LEL / O2 12 % in N2, 103L steel.....	150.00
81-0142RK-02	Cylinder, SO2 5 ppm / H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 58AL	220.00
81-0142RK-04	Cylinder, SO2 5 ppm / H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 34AL	150.00
81-0154RK-02	Cylinder, H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 58AL	190.00
81-0154RK-04	Cylinder, H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 34AL	145.00
81-0154RK-06	Bump test cylinder, H2S 40 ppm / CO 100 ppm / Methane 50% LEL / O2 12% in N2, 11AL aerosol	55.00
81-0154RK-116	Cylinder, H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 116AL.....	300.00
81-0180RK-02	Cylinder, NO2 10 ppm in air, 58AL	280.00
81-0180RK-04	Cylinder, NO2 10 ppm in air, 34AL	220.00
81-0196RK-02	Cylinder, HCN 10 ppm in N2, 58AL	280.00
81-0196RK-04	Cylinder, HCN 10 ppm in N2, 34AL	220.00
81-1050RK-25	Regulator, with gauge & knob, 17/34L, 0.25 LPM	125.00
81-1051RK-25	Regulator, with gauge and knob, 34AL/58AL/103L steel, 0.25 LPM.....	125.00
81-1162	Hand aspirated sample adapter for GX-3R Pro with 10' hose	95.00
81-1193	Calibration adapter for GX-3R Pro	10.00

Premier Portable Instruments

GX-3R Pro Spare Parts Diagram



Part	Description
ESR-A1DP-COHS	Sensor, H2S/CO combo for GX-3R/GX-3R Pro
NCR-6309	Sensor, LEL for GX-3R/GX-3R Pro
ESR-X13P-OXY	Sensor, O2 for GX-3R/GX-3R Pro
ESR-A13D-SO2	Sensor, SO2 for GX-3R Pro
ESR-A13I-H2S	Sensor, H2S for GX-3R/GX-3R Pro
ESR-A13P-CO	Sensor, CO, GX-3R/3R Pro
ESR-A1CP-CO-H	Sensor, CO with H2 compensated for GX-3R/GX-3R Pro
IRR-0409	Sensor, CO2, 0-10% volume for GX-3R Pro
IRR-0433	Sensor, CO2, 0-10,000 ppm for GX-3R Pro
07-6054	Sensor gasket, GX-3R Pro
07-6055	Sensor case o-ring, GX-3R Pro
10-1086	Screw with flat & lock washers for GX-3R/GX-3R Pro belt clip, M2 x 4, SS, pan head, phillips
10-1087	Screw for GX-3R/GX-3R Pro sensor cap & battery pack, M2 x 10, SS, phillips, 1 each
13-0112RK	Wrist strap
13-0124	Alligator Clip with installation screws
13-0125	Belt Clip with installation screws

Part	Description
20-0335	Rubber boot for GX-3R Pro
21-1950	LCD protective film for GX-3R/GX-3R Pro
21-1960	Bottom cover (sensor cap), GX-3R Pro
21-1961	Sensor retainer, GX-3R Pro
29-0700	Sensor case label for GX-3R Pro, CO/H2S / LEL / O2 /Toxic
33-0184-10	Sensor dust filters with internal gasket for GX-3R Pro, 10-pack
33-0554	Buzzer protection cover for GX-3R Pro
33-7130	Scrubber disk filter for H2S/CO sensor 5-pack
33-7131	Scrubber disk filter for LEL sensor, 5-pack
33-7132	Scrubber disk filter, charcoal, for CO & H2 comp CO sensor, GX-3R/GX-3R Pro, 5-pack
33-7133	Humidity filter disk for H2S sensor, GX-3R/GX-3R Pro, 5-pack
33-7134	H2S scrubber disk for SO2 sensor, GX-3R Pro, 5-pack
49-1625	Li-Ion battery pack for GX-3R Pro
49-1626	Alkaline battery pack for GX-3R Pro

Premier Portable Instruments

SDM-3R Calibration Station



SDM-3R

Part#	Description	Suggested Retail
81-1500RK	Cylinder holder for 58 liter aluminum cylinders	16.00
81-1501RK	Cylinder holder for 103 liter steel cylinders and 116 liter aluminum cylinders	16.00
81-1502RK	Cylinder holder for 17/34 liter steel cylinders, and for 34 liter aluminum cylinders	16.00
81-SDM3R101	SDM-3R calibration station with 1 solenoid, AC adapter, flash drive, USB cable, and tubing	1,300.00
81-SDM3R102	SDM-3R calibration station with 1 solenoid, demand flow regulator, AC adapter, flash drive, USB cable, and tubing	1,580.00
81-SDM3R103	SDM-3R calibration station with 1 solenoid, demand flow regulator, 58AL cyl H2S/CO/CH4/O2, cylinder holder, AC adapter, flash drive, USB cable, and tubing	1,785.00
81-SDM3R104	SDM-3R calibration station with 1 solenoid, demand flow regulator, 34AL cyl H2S/CO/CH4/O2, cylinder holder, AC adapter, flash drive, USB cable, and tubing	1,740.00
81-SDM3R201	SDM-3R calibration station with 2 solenoids, AC adapter, flash drive, USB cable, and tubing	1,450.00
81-SDM3R202	SDM-3R calibration station with 2 solenoids, demand flow regulators (2 each), AC adapter, flash drive, USB cable, and tubing	2,030.00
81-SDM3R203	SDM-3R calibration station with 2 solenoid, demand flow regulator, 58AL cyl H2S/CO/CH4/O2, cylinder holder, AC adapter, flash drive, USB cable, and tubing	1,935.00
81-SDM3R204	SDM-3R calibration station with 2 solenoid, demand flow regulator, 34AL cyl H2S/CO/CH4/O2, cylinder holder, AC adapter, flash drive, USB cable, and tubing	1,890.00
81-SDM3R301	SDM-3R calibration station with 3 solenoids, AC adapter, flash drive, USB cable, and tubing	1,600.00
81-SDM3R302	SDM-3R calibration station with 3 solenoids, demand flow regulators (3 each), AC adapter, flash drive, USB cable, and tubing	2,440.00
81-SDM3R303	SDM-3R calibration station with 3 solenoid, demand flow regulator, 58AL cyl H2S/CO/CH4/O2, cylinder holder, AC adapter, flash drive, USB cable, and tubing	2,085.00
81-SDM3R304	SDM-3R calibration station with 3 solenoid, demand flow regulator, 34AL cyl H2S/CO/CH4/O2, cylinder holder, AC adapter, flash drive, USB cable, and tubing	2,040.00

RP-3R Sample Drawing Pump For GX-3R Pro

All pumps attach to the GX-3R Pro and include a 4" tapered red nozzle for sampling. Some versions also include a 10' hose (30' max), and a probe for remote sampling. All RP-3R pumps include built-in dust and hydrophobic filters, and one "AA" alkaline battery.



RP-3R

Part#	Description	Suggested Retail
81-1199	RP-3R Pro pump with tapered red nozzle for GX-3R Pro	360.00
81-1200	RP-3R Pro pump with 10 ft hose, 10 inch probe, and tapered red nozzle for GX-3R Pro	420.00
81-1200-20	RP-3R Pro pump with 20 ft hose, 10 inch probe, and tapered red nozzle for GX-3R Pro	425.00

RP-3R Pro Replacement Parts & Accessories

Part#	Description	Suggested Retail
07-2005RK	Gasket, filter/screen retaining, RP-3R/RP-2009/RP-6/GX-2003/GX-2012/Gas Tracer	15.00
07-6000RK	O-ring for inlet fitting of RP-3R/RP-2009/RP-6/GX-2003/GX-2012/Gas Tracer	1.00
17-1000RK	Inlet fitting (also needs o-ring 07-6000RK) for RP-3R/RP-6	8.80
17-1001RK	Tapered rubber inlet nozzle, 4", RP-3R/RP-2009/RP-6/GX-2003/GX-2012/Gas Tracer	8.00
21-1833RK	Filter holder, clear plastic, RP-3R/RP-2009/GX-2003/GX-2012/Gas Tracer/GX-6000	12.80
30-0022RK	Pump replacement for GX-2012/Gas Tracer/RP-3R/RP-2009/GX-6000/FP-31/NC-1000, with cable and connector	140.00
33-0159RK	Teflon filter disc, 10 pieces, RP-3R/RP-2009/RP-6/GX-2003/GX-2012/Gas Tracer/GX-6000/NC-1000	24.00
33-1031RK	Cotton balls, filters for probe, bag of 25	4.00
33-1112RK	Wire mesh disk filter, RP-3R/RP-2009/RP-6/GX-2003/GX-2012/Gas Tracer/GX-6000, 10 pack	15.00
49-1120RK	Size AA alkaline battery	1.20
80-0009RK-10	Hose, 10', polyurethane, GX-2012/Gas Tracer/GX-20003/RP-3R/RP-3R/RP-2009	36.00
80-0009RK-15	Hose, 15', polyurethane, GX-2012/Gas Tracer/GX-20003/RP-3R/RP-2009	38.00
80-0009RK-20	Hose, 20', polyurethane, GX-2012/Gas Tracer/GX-20003/RP-3R/RP-2009	40.00
80-0009RK-25	Hose, 25', polyurethane, GX-2012/Gas Tracer/GX-20003/RP-3R/RP-2009	42.00
80-0009RK-30	Hose, 30', polyurethane, GX-2012/Gas Tracer/GX-20003/RP-3R/RP-2009	46.00
80-0150RK	Probe assembly, 10", with cotton ball filter	25.00
80-0404RK	Dilution fitting, 50:50 for GX-2003/-2012/Gas Tracer/RP-2009/RP-6/RP-3R	95.00