

Fixed Systems Sensors & Transmitters

Lights, Strobes, and Horns - Non Hazardous Locations

Lights, Strobes, or Horns Only

<u>Part#</u>	<u>Description</u>	<u>Suggested Retail</u>
51-0053RK	Rotating alarm light, green, 115 VAC, Federal Signal 225-120V-G	730.00
51-0054RK	Rotating alarm light, amber, 115 VAC, Federal Signal 225-120V-A	730.00
51-0055RK	Rotating alarm light, red, 115 VAC, Federal Signal 225-120V-R	730.00
51-0056RK	Rotating alarm light, blue, 115 VAC, Federal Signal 225-120-B	730.00
52-0003RK	Horn, 115 VAC, vibratory, NEMA 4X, Edward's 876-N5	420.00
52-0004RK	Horn, 24 VDC, vibrating, Federal 450-24 VDC	520.00
51-0100	Strobe, white housing, with clear lens, 8 to 33 VDC, high candela, NEMA 4X, SpectrAlert	180.00
51-0100-01	Strobe, white housing, with clear lens, 96-132 VAC, high candela, NEMA 3R, SpectrAlert	275.00
51-0170	Strobe, amber, low profile, 12-48 VDC in, Federal Signal Streamline LP3S-012/048A	385.00
51-0171	Strobe, blue, low profile, 12-48 VDC in, Federal Signal Streamline LP3S-012/048B	385.00
51-0174	Strobe, red, low profile, 12-48 VDC in, Federal Signal Streamline LP3S-012/048R	385.00
51-0001-RED	Strobe light, Red, 24VDC, Nema 4X, Ingram SBN1224ADR	230.00
51-0001-AMB	Strobe light, Amber, 24VDC, Nema 4X, Ingram SBN1224ADA	230.00
51-0001-BLU	Strobe light, Blue, 24VDC, Nema 4X, Ingram SBN1224ADB	230.00
51-0198D-RED	Strobe light, Red, 12-24 VDC, NEMA 4X, Federal Signal SLM350R, with deep base.....	355.00
51-0198D-GRN	Strobe light, Green, 12-24 VDC, NEMA 4X, Federal Signal SLM350R, with deep base.....	355.00



51-0053RK



51-0054RK



51-0055RK



52-0003RK / 52-0004RK

Lights/Strobes with Horns - 2 Wire (strobe and horn wired together)

<u>Part#</u>	<u>Description</u>	<u>Suggested Retail</u>
51-0090RK	Flashing alarm light with horn, red, 115 VAC, 40 watt lamp, Edwards 51R-N5-40W	750.00
51-0090RK-24	Flashing alarm light with horn, red, 24 VDC, 40 watt lamp, Edwards 51R-G1	790.00
51-0091RK	Flashing alarm light with horn, blue, 115 VAC, 40 watt lamp, Edwards 51B-N5-40W	735.00
51-0091RK-24	Flashing alarm light with horn, blue, 24 VDC, 24 watt lamp, Edwards 51B-G1	790.00
51-0092RK	Flashing alarm light with horn, amber, 115 VAC, 40 watt lamp, Edwards 51A-N5-40W	735.00
51-0092RK-24	Flashing alarm light with horn, amber, 24 VDC, 24 watt lamp, Edwards 51A-G1	790.00
51-0099RK	Strobe light with horn, white housing, no markings, 8 to 33 VDC, NEMA 4X, SpectrAlert, with clear lens cover	290.00



51-0090RK



51-0091RK



51-0092RK

Fixed Systems Sensors & Transmitters

Lights/Strobes with Horns - 4 Wire (strobe and horn wired separately)

Part#	Description	Suggested Retail
51-0102	Horn with strobe, standard brightness, white housing, NEMA 3R, 4-wire, 16 to 33 VDC, clear lens, SpectraAlert	265.00
51-0105	Horn with strobe, red housing, 8 to 33 VDC, NEMA 4X, SpectraAlert, 4 wire.....	245.00
51-0131-BLU	Horn with strobe, outdoor, panel mounting, 120 VAC, 4 wire, blue lens, Edwards 868STRB-N5	890.00
51-0131-RED	Horn with strobe, outdoor, panel mounting, 120 VAC, 4 wire, red lens, Edwards 868STRR-N5	890.00
51-0131-AMB	Horn with strobe, outdoor, panel mounting, 120 VAC, 4 wire, amber lens, Edwards 868STRA-N5.....	890.00
51-0131-AMB-24	Horn with strobe, outdoor, panel mounting, 24 VDC, 24 watt lamp, 4 wire, amber lens, Edwards 868STRA-N5	890.00
51-0131-BLU-24	Horn with strobe, outdoor, panel mounting, 24 VDC, 24 watt lamp, 4 wire, blue lens, Edwards 868STRA-N5	890.00
51-0131-RED-24	Horn with strobe, outdoor, panel mounting, 24 VDC, 24 watt lamp, 4 wire, red lens, Edwards 868STRA-N5	890.00
51-0202T-AC-RED	Strobe with horn, Red, 115-230 VAC, 1/2 NPT tube mount, Werma EvoSignal, IP66	670.00
51-0202T-DC-RED	Strobe with horn, Red, 12-24 VAC/VDC, 1/2 NPT tube mount, Werma EvoSignal, IP66	420.00
51-0202P-AC-RED	Strobe with horn, Red, 115-230 VAC, Panel Mount, Werma EvoSignal, IP66	670.00
51-0202P-DC-RED	Strobe with horn, Red, 12/24 VAC/VDC, Panel Mount, Werma EvoSignal, IP66	420.00
51-0202WC-ACBLU	Horn/strobe, Werma EvoSignal, w/ wall mount and cable gland, 115-230 VAC, IP66, blue lens	670.00
51-0202WC-ACCLR	Horn/strobe, Werma EvoSignal, w/ wall mount and cable gland, 115-230 VAC, IP66, clear lens	670.00
51-0202WC-ACGRN	Horn/strobe, Werma EvoSignal, w/ wall mount and cable gland, 115-230 VAC, IP66, green lens	670.00
51-0202WC-ACRED	Horn/strobe, Werma EvoSignal, w/ wall mount and cable gland, 115-230 VAC, IP66, red lens	670.00
51-0202WC-ACYEL	Horn/strobe, Werma EvoSignal, w/ wall mount and cable gland, 115-230 VAC, IP66, yellow lens	670.00
51-0202WC-DCBLU	Horn/strobe, Werma EvoSignal, w/ wall mount and cable gland, 12/24 VAC/VDC, IP66, blue lens	420.00
51-0202WC-DCCLR	Horn/strobe, Werma EvoSignal, w/ wall mount and cable gland, 12/24 VAC/VDC, IP66, clear lens	420.00
51-0202WC-DCGRN	Horn/strobe, Werma EvoSignal, w/ wall mount and cable gland, 12/24 VAC/VDC, IP66, green lens	420.00
51-0202WC-DCRED	Horn/strobe, Werma EvoSignal, w/ wall mount and cable gland, 12/24 VAC/VDC, IP66, red lens	420.00
51-0202WC-DCYEL	Horn/strobe, Werma EvoSignal, w/ wall mount and cable gland, 12/24 VAC/VDC, IP66, yellow lens	420.00
51-0203-RED	Strobe with horn, Red housing, 16-33 VDC, Wall Mount with knockouts, Gentex WGEC, Weatherproof ...	185.00
51-0204-RED	Strobe with horn, white housing, 16-33 VDC, Wall Mount with knockouts, Gentex WGEC, Weatherproof	185.00



51-0131-AMB



51-0131-BLU



51-0202WC-ACRED



51-0202WC-ACCLR

Lights/Strobes and Horns - Hazardous Locations (Class I, Div 2)

Part#	Description	Suggested Retail
52-0005RK	Horn, 115 VAC, Federal Signal 350-WBX, for hazardous locations, Class I Div 2	1,311.00
51-0030RK-01	Strobe light, red, 115 VAC, Edwards 105FINHR-N5, for hazardous locations, Class I Div 2, with pipe mounting base	735.00
51-0031RK-01	Strobe light, red, 12 - 48 VDC, Edwards 105HISTR-EK, for Class I Div 2, with pipe mounting base	1,175.00
51-0035RK-01	Strobe light, amber, 115 VAC, Edwards 105FINHA-N5, for Class I Div 2, with pipe mounting base	735.00



52-0005RK
Horn (Class I, Div 2)



51-0035RK-01
Strobe light, amber (Class I, Div 2)



51-0030RK-01
Strobe light, red (Class I, Div 2)

Fixed Systems Sensors & Transmitters

Lights/Strobes and Horns - Hazardous Locations (Class I, Div 1)

Part#	Description	Suggested Retail
51-0040-RED	Horn and Xenon strobe combo, red, explosion proof, Class I, Division 1, Zone 1, 24 VDC	6,720.00
51-0125	Strobe, explosion proof for Class I, Div I, Groups C & D, NEMA 4X, 120 VAC, red lens, pendant mounting, Federal 27XST-120R	4,860.00
52-0006RK	Vibrating horn, explosion proof for Class 1, Div. I, groups E,F,G, 120 VAC, Federal Signal 31X-120-3	3,133.00



51-0040-RED



51-0125



52-0006RK

Stacked Lights and Horn

Part#	Description	Suggested Retail
51-0166	Stack light / horn, 115 VAC, red/amber/green, steady, outdoor, Signaworks S370B-110-RAG-RI1	775.00
51-0210	Stack light, 24 VDC, red/green, steady, IP65, Patlite LR7-202WJNW-RG	245.00
51-0214	Stack light / horn, 24 VDC, red/amber/buzzer flashing, IP65, Patlite LR6-202WJBW-RY	335.00
51-0215	Stack light / horn, 24 VDC, red/blue/buzzer, flashing, IP65, Patlite LR6-202WJBW-RB	335.00



51-0166



51-0210



51-0214



51-0215

Wireless Stacked Lights

Part#	Description	Suggested Retail
51-0300-BUZ	Wireless stack light, buzzer, Patlite, IP65	84.00
51-0300-T	Wireless stack light, transmitter only, no LEDs, 24 VDC, panel mount, no power supply, Patlite, IP65	755.00
51-0300-R	Wireless stack light, receiver only, 24 VDC, panel mount, no power supply, Patlite, IP65	755.00
51-0300-R-RYG	Wireless stack light, receiver with red/yellow/green LEDs, 24 VDC, panel mount, no power supply, Patlite, IP65	990.00
51-0300-KIT	Wireless stack light, receiver with red/yellow/green LEDs, transmitter, pnl mnt, with power supply, Patlite, IP65	1,835.00
49-0141	Universal AC adapter, 100 - 240 VAC in, 24 VDC 1A out, center positive, for Patlite WIO powering	116.00



51-0300-KIT

Fixed Systems Sensors & Transmitters

E-mail / Text Generator

Part#	Description	Suggested Retail
82-5202-01	E-mail / Text generator in NEMA 4X housing, with ability to accept 1 contact closure, 100 - 240 VAC input	590.00
82-5202-02	E-mail / Text generator in NEMA 4X housing, with ability to accept 2 contact closures, 100 - 240 VAC input.....	690.00
82-5202-11	E-mail / Text generator in NEMA 4X housing, with ability to accept 1 contact closure, 5 VDC input with AC adapter	670.00
82-5202-12	E-mail / Text generator in NEMA 4X housing, with ability to accept 2 contact closures, 5 VDC input with AC adapter	880.00



E-Stop

Part#	Description	Suggested Retail
82-5220	ESTOP emergency shut off with relay contacts for solenoid valve control, 24 VDC power input	960.00
82-5221	ESTOP emergency shut off with relay contacts for solenoid valve control, 115 VAC power input	1,030.00
82-5222	ESTOP emergency shut off with air pressure control valve, 24 VDC input	1,620.00
82-5223	ESTOP emergency shut off with air pressure control valve, 115 VAC input	1,680.00

